

---


---

# Seaworthy™ Power Mate Utility Pedestal

---

---

**Manufactured by Seaworthy Marina Products, LLC**  
(Formerly, "Milbank" Marina Products Division)



---

## SEAWORTHY™ POWER MATE UTILITY PEDESTAL

**Power Mate Utility Pedestal** provides in one unit the following features: electrical outlets, lighting, water, television, telephone, and individual metering for up to four slips. This attractive pedestal is designed to withstand abuse from the harshest marine environments and maintain its appearance and reliable performance with virtually no maintenance.

The **Power Mate Utility Pedestal** is rotationally molded of super strength, high impact resistant, heavy-duty polyethylene plastic. Standard color is white, although, other colors are available. The electrical specifications are designed to offer maximum flexibility to meet customer's needs. Incoming line lugs may be specified for single or three phase, looping or tap feed systems. Up to four separately metered receptacles/circuit breakers may be ordered in any combination of 20 amp, 30 amp, 50 amp or a maximum of two 100 amp pin and sleeve outlets. Telephone and/or television outlets may be installed along with cord restraints, water outlet provisions and a vandal resistant light fixture with fluorescent lamp. Custom features included slip numbering, graphics with custom marina logo in a wide range of colors.



**HENDERSON MARINE SUPPLY, INC.**  
800-523-1586 [www.hendersonmarine.com](http://www.hendersonmarine.com)  
Specifications subject to change without notice. Not responsible for rust.

Page 12-2  
Last Updated: 3/21/2003 11:41:00 AM


---

---

# Seaworthy™ Power Mate Utility Pedestal


---

---



# Seaworthy™ Power Mate Utility Pedestal

## Ordering Information for the Power Center



① First three positions correspond to receptacles on left side of Power Mate. The second three positions correspond to receptacles on right side of PowerMate. Three receptacles under cover on any side is only possible if one of the receptacles is a Type 5-20 or 5-20GFI. Pin and sleeve receptacle is available by itself only. No other receptacles can be provided on the same side of the pin and sleeve receptacle. If receptacle positioning is not important list receptacles in order of lowest amperage to highest for each use. **Any position not used should be filled with a zero.**

② Hose Bibbs shipped loose, not mounted.

